



MATERIALS & INFO	PATTERN NOTES
Yarn – 1 skein KnitPicks Capretta (50g 230yd)	Vine Bonnet is a classic styled bonnet for all your vintage inspired needs.
Gauge - 32x44sts per 4x4in or 10x10cm	It earned its name from the eyelet lace stripe that looks like a climbing vine.
Needles - 3 (3.25mm) circular and dpn	Abbreviations can be found on the last page.
Sizes – newborn, (0-3m, 3-6m, 6-12m), toddler	
Head Measurement – 12-14in/30-35cm, (13-15in/32.5-37.5cm, 14-16in/35/40cm, 15-17in/37.5-42.5), 16-18in/52.5-57.5cm	
Other –yarn needle	

NEWBORN

Cast on 80sts. I used the long tail cast on.

Work in a k1p1 ribbing (k1p1 across) for .5in/1.5cm slipping the 1st st on each row for a 1 st salvage edge. End after completing a wrong side row.

Row 1 - sl1, k3 (yo, ssk, k3) across to last st, k1

Row 2 - sl1, purl across

Row 3 - sl1, k3 (k2tog, yo, k3) across to last st, k1

Row 4 - repeat row 2

Repeat rows 1-4 until your work measures appx 3.5in/14cm ending after completing a right side row (row 1 or 3). Transfer sts to dpn. Join in the round. Knit 1 round.

DECREASES

Round 1 - [k2tog, K8] Repeat [to] around (72sts)

Round 2 - knit around

Round 3 - [k2tog, K7] Repeat [to] around (64sts)

Round 4 - knit around

Round 5 - [k2tog, K6] Repeat [to] around (56sts)

Round 6 - knit around

Round 7 - [k2tog, K5] Repeat [to] around (48sts)

Round 8 - knit around

Round 9 - [k2tog, K4] Repeat [to] around (40sts)

Round 10 - knit around

Round 11 - [k2tog, K3] Repeat [to] around (32sts)

Round 12 - knit around

Round 13 - [k2tog, K2] Repeat [to] around (24sts)

Round 14 - knit around

Round 15 - [k2tog, K1] Repeat [to] around (16sts)

Round 16 - [k2tog] Repeat [to] around (8sts)

Do not bind off. Cut a tail appx 6-8ins long. Using a yarn needle, pull through remaining stitches and cinch sts closed tightly. Weave in ends.

I-cord Ties:

Cast on 3sts on double pointed needles and work appx 9-10ins for personal use and 12-14ins for photography use of i-cord (tutorial at the end of the pattern).

Begin i-cord edging by using the length of i-cord you have already worked. Do so by knitting 2 icord sts, slip the last st, dip the needle into the edge of the back loop of the bonnet, and bringing the yarn around to knit, pick up a stitch in your salvage edge. Knit the last stitch of i-cord together with the picked stitch of the bonnet. Once you have picked up and knit across salvage edge stitches, work an additional length of i-cord that matches the other tie. Weave in ends.

0-3 MONTH

Cast on 85sts. I used the long tail cast on.

Work in a k1p1 ribbing (k1p1 across) for .5in/1.5cm slipping the 1st st on each row for a 1 st salvage edge. End after completing a wrong side row.

Row 1 - sl1, k3 (yo, ssk, k3) across to last st, k1

Row 2 - sl1, purl across

Row 3 - sl1, k3 (k2tog, yo, k3) across to last st, k1

Row 4 - repeat row 2

Repeat rows 1-4 until your work measures appx 4in/11cm ending after completing a right side row (row 1 or 3). Transfer sts to dpn. Join in the round. Knit 1 round.

DECREASES

Round 1 - [k2tog, K17] Repeat [to] around (80sts)

Round 2 - [k2tog, K8] Repeat [to] around (72ts)

Round 3 - knit around

Round 4 - [k2tog, K7] Repeat [to] around (64sts)

Round 5 - knit around

Round 6 - [k2tog, K6] Repeat [to] around (56sts)

Round 7 - knit around

Round 8 - [k2tog, K5] Repeat [to] around (48sts)

Round 9 - knit around

Round 10 - [k2tog, K4] Repeat [to] around (40sts)

Round 11 - knit around

Round 12 - [k2tog, K3] Repeat [to] around (32sts)

Round 13 - knit around

Round 14 - [k2tog, K2] Repeat [to] around (24sts)

Round 15 - knit around

Round 16 - [k2tog, K1] Repeat [to] around (16sts)

Round 17 - [k2tog] Repeat [to] around (8sts)

Do not bind off. Cut a tail appx 6-8ins long. Using a yarn needle, pull through remaining stitches and cinch sts closed tightly. Weave in ends.

I-cord Ties:

Cast on 3sts on double pointed needles and work appx 9-10ins for personal use and 12-14ins for photography use of i-cord (tutorial at the end of the pattern).

Begin i-cord edging by using the length of i-cord you have already worked. Do so by knitting 2 icord sts, slip the last st, dip the needle into the edge of the back loop of the bonnet, and bringing the yarn around to knit, pick up a stitch in your salvage edge. Knit the last stitch of i-cord together with the picked stitch of the bonnet. Once you have picked up and knit across salvage edge stitches, work an additional length of i-cord that matches the other tie. Weave in ends.

3-6 MONTH

Cast on 95sts. I used the long tail cast on.

Work in a k1p1 ribbing (k1p1 across) for .75in/2cm slipping the 1st st on each row for a 1 st salvage edge. End after completing a wrong side row.

Row 1 - sl1, k3 (yo, ssk, k3) across to last st, k1

Row 2 - sl1, purl across

Row 3 - sl1, k3 (k2tog, yo, k3) across to last st, k1

Row 4 - repeat row 2

Repeat rows 1-4 until your work measures appx 4.5in/11cm ending after completing a right side row (row 1 or 3). Transfer sts to dpn. Join in the round. Knit 1 round.

DECREASES

Round 1 - [k2tog, K17] Repeat [to] around (90sts)

Round 2 - [k2tog, K8] Repeat [to] around (81sts)

Round 3 - knit around

Round 4 - [k2tog, K7] Repeat [to] around (72sts)

Round 5 - knit around

Round 6 - [k2tog, K6] Repeat [to] around (63sts)

Round 7 - knit around

Round 8 - [k2tog, K5] Repeat [to] around (54sts)

Round 9 - knit around

Round 10 - [k2tog, K4] Repeat [to] around (45sts)

Round 11 - knit around

Round 12 - [k2tog, K3] Repeat [to] around (36sts)

Round 13 - knit around

Round 14 - [k2tog, K2] Repeat [to] around (27sts)

Round 15 - knit around

Round 16 - [k2tog, K1] Repeat [to] around (18sts)

Round 17 - knit around

Round 18 - [k2tog] Repeat [to] around (9sts)

Do not bind off. Cut a tail appx 6-8ins long. Using a yarn needle, pull through remaining stitches and cinch sts closed tightly. Weave in ends.

I-cord Ties:

Cast on 3sts on double pointed needles and work appx 9-10ins for personal use and 12-14ins for photography use of i-cord (tutorial at the end of the pattern).

Begin i-cord edging by using the length of i-cord you have already worked. Do so by knitting 2 icord sts, slip the last st, dip the needle into the edge of the back loop of the bonnet, and bringing the yarn around to knit, pick up a stitch in your salvage edge. Knit the last stitch of I-cord together with the picked stitch of the bonnet. Once you have picked up and knit across salvage edge stitches, work an additional length of i-cord that matches the other tie. Weave in ends.

6-12 MONTH

Cast on 105sts. I used the long tail cast on.

Work in a k1p1 ribbing (k1p1 across) for .75in/2cm slipping the 1st st on each row for a 1 st salvage edge. End after completing a wrong side row.

Row 1 - sl1, k3 (yo, ssk, k3) across to last st, k1

Row 2 - sl1, purl across

Row 3 - sl1, k3 (k2tog, yo, k3) across to last st, k1

Row 4 - repeat row 2

Repeat rows 1-4 until your work measures appx 5in/12.5cm ending after completing a right side row (row 1 or 3). Transfer sts to dpn. Join in the round. Knit 1 round.

DECREASES

Round 1 - [k2tog, K19] Repeat [to] around (100sts)

Round 2 - [k2tog, K8] Repeat [to] around (90sts)

Round 3 - knit around

Round 4 - [k2tog, K7] Repeat [to] around (80sts)

Round 5 - knit around

Round 6 - [k2tog, K6] Repeat [to] around (70sts)

Round 7 - knit around

Round 8 - [k2tog, K5] Repeat [to] around (60sts)

Round 9 - knit around

Round 10 - [k2tog, K4] Repeat [to] around (50sts)

Round 11 - knit around

Round 12 - [k2tog, K3] Repeat [to] around (40sts)

Round 13 - knit around

Round 14 - [k2tog, K2] Repeat [to] around (30sts)

Round 15 - knit around

Round 16 - [k2tog, K1] Repeat [to] around (20sts)

Round 17 - knit around

Round 18 - [k2tog] Repeat [to] around (10sts)

Do not bind off. Cut a tail appx 6-8ins long. Using a yarn needle, pull through remaining stitches and cinch sts closed tightly. Weave in ends.

I-cord Ties:

Cast on 3sts on double pointed needles and work appx 9-10ins for personal use and 12-14ins for photography use of i-cord (tutorial at the end of the pattern).

Begin i-cord edging by using the length of i-cord you have already worked. Do so by knitting 2 icord sts, slip the last st, dip the needle into the edge of the back loop of the bonnet, and bringing the yarn around to knit, pick up a stitch in your salvage edge. Knit the last stitch of i-cord together with the picked stitch of the bonnet. Once you have picked up and knit across salvage edge stitches, work an additional length of i-cord that matches the other tie. Weave in ends.

Toddler

Cast on 110sts. I used the long tail cast on.

Work in a k1p1 ribbing (k1p1 across) for .75in/2cm slipping the 1st st on each row for a 1 st salvage edge. End after completing a wrong side row.

Row 1 - sl1, k3 (yo, ssk, k3) across to last st, k1

Row 2 - sl1, purl across

Row 3 - sl1, k3 (k2tog, yo, k3) across to last st, k1

Row 4 - repeat row 2

Repeat rows 1-4 until your work measures appx 5.5in/14cm ending after completing a right side row (row 1 or 3). Transfer sts to dpn. Join in the round. Knit 1 round.

DECREASES

Round 1 - [k2tog, K8] Repeat [to] around (99sts)

Round 2 - knit around

Round 3 - [k2tog, K7] Repeat [to] around (88sts)

Round 4 - knit around

Round 5 - [k2tog, K6] Repeat [to] around (77sts)

Round 6 - knit around

Round 7 - [k2tog, K5] Repeat [to] around (66sts)

Round 8 - knit around

Round 9 - [k2tog, K4] Repeat [to] around (55sts)

Round 10 - knit around

Round 11 - [k2tog, K3] Repeat [to] around (44sts)

Round 12 - knit around

Round 13 - [k2tog, K2] Repeat [to] around (33sts)

Round 14 - knit around

Round 15 - [k2tog, K1] Repeat [to] around (22sts)

Round 16 - knit around

Round 17 - [k2tog] Repeat [to] around (11sts)

Do not bind off. Cut a tail appx 6-8ins long. Using a yarn needle, pull through remaining stitches and cinch sts closed tightly. Weave in ends.

I-cord Ties:

Cast on 3sts on double pointed needles and work appx 9-10ins for personal use and 12-14ins for photography use of i-cord (tutorial at the end of the pattern).

Begin i-cord edging by using the length of i-cord you have already worked. Do so by knitting 2 icord sts, slip the last st, dip the needle into the edge of the back loop of the bonnet, and bringing the yarn around to knit, pick up a stitch in your salvage edge. Knit the last stitch of i-cord together with the picked stitch of the bonnet. Once you have picked up and knit across salvage edge stitches, work an additional length of i-cord that matches the other tie. Weave in ends.

ABBREVIATIONS

k - knit

P - purl

sl - slip stitch

yo - yarn over

k2tog -knit 2 stitches together

ssk - slip next st knitwise, slip next st knitwise, place stitches back onto left needle, knit both slipped sts together

I-cord instructions - To make an i-cord cast on 3 sts on double pointed needles. Slide these sts to the right of your needle. Knit the row. Slide the sts to the right of the needle. Knit the row and slide the sts to the right of the needle. Continue in this manner until you reach your desired length, occasionally giving the resulting cord a gentle tug.

Applied I-cord – For a great tutorial on how to do the applied I-cord on the bottom edge of your bonnet I suggest this one.

<https://www.youtube.com/watch?v=M0XEK1g0U6c> If you're left-handed and need a little extra help feel free to email me. I'm left-handed as well and can help you get a better picture of it.